

SAFETY DATA SHEET

1. Identification

1. Identification			
Product identifier	LPS® Copper Anti-Seize		
Other means of identification			
Part Number	02908, 02910		
Recommended use	A low-friction anti-seize lubricant designed to prevent seizure and galling and resist settling and hardening of welding.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplie	Manufacturer/Importer/Supplier/Distributor information		
Manufacturer			
Manufacturer			
Company name	ITW Pro Brands		
Address	4647 Hugh Howell Rd.		
	Tucker, GA 30084		
Country	(U.S.A.)		
	Tel: +1 770-243-8800		
In Case of Emergency	1-800-424-9300 (inside U.S.)		
	+001 703-527-3887 (outside U.S.)		
Website	www.lpslabs.com		
E-mail	lpssds@itwprobrands.com		

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.





Signal word	None.
Hazard statement	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Copper		7440-50-8	3 - 8

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog, Foam, Dry chemical powder, Carbon dioxide (CO2).

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8 of the SDS.
Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Dike far ahead of spill for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form	
Copper (CAS 7440-50-8)	PEL	1 mg/m3	Dust and mist.	
		0.1 mg/m3	Fume.	
US. NIOSH: Pocket Guide	to Chemical Hazards			
Components	Туре	Value	Form	
Copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.	
iological limit values	No biological exposure limits noted for the	e ingredient(s).		
ppropriate engineering ontrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilatio or other engineering controls to maintain airborne levels below recommended exposure limits. I exposure limits have not been established, maintain airborne levels to an acceptable level.			
dividual protection measures	s, such as personal protective equipment			
Eve/face protection		Wear safety glasses with side shields (or goggles).		

Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Paste.
Color	Copper, Bronze
Odor	Slight petroleum odor
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	> 449.6 °F (> 232 °C)
Initial boiling point and boiling range	> 500 °F (> 260 °C)
Flash point	> 429.8 °F (> 221.0 °C) Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.09
Solubility(ies)	
Solubility (water)	Insoluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information VOC (Weight %)	None
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions o
Chemical stability	Material is stable under normal conditions.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	cal stability Material is stable under normal conditions.	
Possibility of hazardous Hazardous polymerization does not occur. reactions		
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents. Vinyl acetate.	
Hazardous decomposition products	None known.	

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort.	

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained			
Components	Species Test Results		
Copper (CAS 7440-50-8)			
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg, 24 Hours	
Inhalation			
LC50	Rat	> 2.77 mg/l, 4 Hours	
Oral			
LD50	Rat	481 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin se	ensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulated	l Substances (29 CFR 1910.1001-1050)		
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not likely, due to the form of the product.		
Chronic effects	None known.		
Further information	This product has no known advorage offect on	uct has no known adverse effect on human health.	

12. Ecological information

	Test Results	
ea (Daphnia magna)	0.036 mg/l, 48 hours	
minnow (Pimephales promelas)0.0319 - 0.0544 mg/l, 96 hours	
he degradability of this product		
No data available.		
	the degradability of this product.	

Other adverse effects None known.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT	
DOT	
UN number	UN3077
UN proper shipping name	Environmentally hazardous substances, solid, n.o.s. (Copper), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Packing group	III
Environmental hazards	
Marine pollutant	Yes
	Read safety instructions, SDS and emergency procedures before handling. Ground shipments of this product are not regulated by DOT; however, when shipped by vessel, this product is considered a hazardous material by DOT.
Special provisions	8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33
Packaging exceptions	155
Packaging non bulk	213
Packaging bulk	240
ΙΑΤΑ	
UN number	UN3077
UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (Copper)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	Yes
ERG Code	9L
Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
IMDG	
UN number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

DOT; IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Not regulated. CERCLA Hazardous Substa		Subpt. D)		
Copper (CAS 7440-50-8		Listed.		
SARA 304 Emergency relea	,	LISIEU.		
Not regulated.				
OSHA Specifically Regulate	ed Substances (29 CFR 191	0.1001-1050)		
Not listed.				
Superfund Amendments and Re	eauthorization Act of 1986	(SARA)		
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No			
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous	No			
chemical	110			
chemical		CAS number	% by wt.	
chemical SARA 313 (TRI reporting)		CAS number 7440-50-8	<mark>% by wt.</mark> 3 - 8	
chemical SARA 313 (TRI reporting) Chemical name			-	
chemical SARA 313 (TRI reporting) Chemical name COPPER		7440-50-8	-	
chemical SARA 313 (TRI reporting) Chemical name COPPER Other federal regulations Clean Air Act (CAA) Section Not regulated.	n 112 Hazardous Air Polluta	7440-50-8	3 - 8	
chemical SARA 313 (TRI reporting) Chemical name COPPER Other federal regulations Clean Air Act (CAA) Section	n 112 Hazardous Air Polluta	7440-50-8	3 - 8	
chemical SARA 313 (TRI reporting) Chemical name COPPER Other federal regulations Clean Air Act (CAA) Section Not regulated.	n 112 Hazardous Air Polluta	7440-50-8	3 - 8	
chemical SARA 313 (TRI reporting) Chemical name COPPER Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section	n 112 Hazardous Air Polluta	7440-50-8	3 - 8	
chemical SARA 313 (TRI reporting) Chemical name COPPER Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act	n 112 Hazardous Air Polluta n 112(r) Accidental Release	7440-50-8	3 - 8	
chemical SARA 313 (TRI reporting) Chemical name COPPER Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA)	n 112 Hazardous Air Polluta n 112(r) Accidental Release Not regulated.	7440-50-8	3 - 8	
chemical SARA 313 (TRI reporting) Chemical name COPPER Other federal regulations Clean Air Act (CAA) Section Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations	n 112 Hazardous Air Polluta n 112(r) Accidental Release Not regulated. Chemicals: Listed	7440-50-8	3 - 8	

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- **US. Massachusetts RTK Substance List**

Copper (CAS 7440-50-8)

US. New Jersey Worker and Community Right-to-Know Act

Copper (CAS 7440-50-8)

- US. Pennsylvania Worker and Community Right-to-Know Law
- Copper (CAS 7440-50-8)

US. Rhode Island RTK

Copper (CAS 7440-50-8)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

,	5 1 1
Issue date	04-14-2015
Version #	01
Disclaimer	ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Product and Company Identification Other information, including date of preparation or last revision: Disclaimer