

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 10/23/2014

Reviewed on 10/23/2014

1 Identification

- **Trade name:** RADNOR® WATER BASED ANTI-SPATTER - PREMIUM AEROSOL
 - **Article number:** 64000111
 - **MSDS Number:** 204
 - **Relevant identified uses of the substance:** PREVENTS SPATTER BUILD UP
 - **Manufacturer/Supplier:**
ADDRESS :
- RADNOR WELDING PRODUCTS
259 N. RADNOR-CHESTER ROAD SUITE 100
RADNOR, PA 19087-5283
- **Information department:** <http://www.airgas.com/>
 - **Emergency telephone number:** 866-734-3438

2 Hazard(s) identification

- **Classification of the substance or mixture:**



GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Signal word:** Danger

- **Hazard statements:**

Extremely flammable aerosol. Pressurized container: May burst if heated.

- **Precautionary statements:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Pressurized container: Do not pierce or burn, even after use.


Do not spray on an open flame or other ignition source.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.


- **WHMIS-symbols:**

A - Compressed gas

B5 - Flammable aerosol



- **NFPA ratings (scale 0 - 4):**



Health = 1

Fire = 4

Reactivity = 0

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 10/23/2014

Reviewed on 10/23/2014

Trade name: RADNOR® WATER BASED ANTI-SPATTER - PREMIUM AEROSOL

(Contd. of page 1)

· Dangerous components:

| | | |
|------------|--|---------|
| 115-10-6 | dimethyl ether | 10-<25% |
| 68412-54-4 | Polyoxyethylene (9) nonylphenylether, branched | 1-<3% |
| 112-80-1 | oleic acid, pure | ≤1% |

· Additional information: Exact concentrations are being withheld as trade secrets.

4 First-aid measures

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: Call a poison center/doctor if you feel unwell. Rinse mouth.

· Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

· Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

· For safety reasons unsuitable extinguishing agents: Water with full jet

· Special hazards arising from the substance or mixture: No further relevant information available.

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling: Open and handle receptacle with care.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 10/23/2014

Reviewed on 10/23/2014

Trade name: RADNOR® WATER BASED ANTI-SPATTER - PREMIUM AEROSOL

(Contd. of page 2)

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

• **Storage**

• **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

• **Information about storage in one common storage facility:** Not required.

• **Further information about storage conditions:**

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

• **Additional information about design of technical systems:** No further data; see item 7.

• **Components with limit values that require monitoring at the workplace:**

115-10-6 dimethyl ether

EL | Long-term value: 1000 ppm

• **Additional information:** The lists that were valid during the creation were used as basis.

• **Personal protective equipment**

• **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

• **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.

• **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• **Material of gloves:**

Protective gloves not normally required. People with sensitive skin may prefer to wear water-proof gloves, such as rubber or neoprene, to avoid skin contact.

• **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

• **Form:** Liquid Under Pressure

• **Color:** Light beige

• **Odor:** Mild

• **Odour threshold:** Not determined.

• **pH-value:** Not determined.

• **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: > 100 °C (<-18 °C Prop.)

• **Flash point:** -42 °C (Prop.)

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 10/23/2014

Reviewed on 10/23/2014

Trade name: RADNOR® WATER BASED ANTI-SPATTER - PREMIUM AEROSOL

(Contd. of page 3)

| | |
|---|--|
| · Flammability (solid, gaseous): | Extremely flammable liquefied gas. |
| · Ignition temperature: | 235 °C |
| · Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · Explosion limits | |
| Lower: | 3.0 Vol % |
| Upper: | 18.6 Vol % |
| · Vapor pressure at 20 °C: | 5200 hPa |
| · Density: | Not determined. |
| · Relative density: | Not determined. |
| · Vapour density at 20 °C: | >1 (AIR=1) |
| · Evaporation rate: | Not applicable. |
| · Solubility in / Miscibility with Water: | Partly soluble. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 20.0 % |
| Solids content: | 22.0 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects:**
- **Acute toxicity**
- **Primary irritant effect**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

CA

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 10/23/2014

Reviewed on 10/23/2014

Trade name: RADNOR® WATER BASED ANTI-SPATTER - PREMIUM AEROSOL

(Contd. of page 4)

- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings**
- **Recommendation:**
Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

- | | |
|--|---|
| <ul style="list-style-type: none"> · UN-Number · DOT, TDG, IMDG, IATA | UN1950 |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT · TDG · IMDG · IATA | Aerosols, flammable 1950 Aerosols AEROSOLS AEROSOLS, flammable |

(Contd. on page 6)

CA

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 10/23/2014

Reviewed on 10/23/2014

Trade name: RADNOR® WATER BASED ANTI-SPATTER - PREMIUM AEROSOL

(Contd. of page 5)

- Transport hazard class(es)

- DOT



- Class 2.1
- Label 2.1
- TDG (Transport dangerous goods):



- Class 2 5F Gases
- Label 2.1

- IMDG, IATA



- Class 2.1
- Label 2.1

- Packing group
- DOT, TDG, IMDG, IATA Not regulated

- Environmental hazards:
- Marine pollutant: No

- Special precautions for user: Warning: Gases
- Danger code (Kemler): -
- EMS Number: F-D,S-U

- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

- Transport/Additional information:

- DOT
- Quantity limitations On passenger aircraft/rail: 75 kg
On cargo aircraft only: 150 kg
- Remarks: This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.

- TDG This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.

- Excepted quantities (EQ) Code: E0
Not permitted as Excepted Quantity

- IMDG
- Limited quantities (LQ) 1L

(Contd. on page 7)

CA

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 10/23/2014

Reviewed on 10/23/2014

Trade name: RADNOR® WATER BASED ANTI-SPATTER - PREMIUM AEROSOL

(Contd. of page 6)

| | |
|--|--|
| <ul style="list-style-type: none"> · Excepted quantities (EQ) · Remarks: | <p>Code: E0 Not permitted as Excepted Quantity</p> <p>This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.</p> |
| <ul style="list-style-type: none"> · IATA · Remarks: | <p>This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.</p> |
| <ul style="list-style-type: none"> · UN "Model Regulation": | <p>UN1950, Aerosols, 2.1</p> |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency):**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients is listed.

- **Canadian substance listings**

- **Canadian Domestic Substances List (DSL):**

All ingredients are listed.

- **Canadian Ingredient Disclosure list (limit 0.1%):**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 10/23/2014

Reviewed on 10/23/2014

Trade name: RADNOR® WATER BASED ANTI-SPATTER - PREMIUM AEROSOL

(Contd. of page 7)

· **Canadian Ingredient Disclosure list (limit 1%):**

| | |
|----------|------------------|
| 112-80-1 | oleic acid, pure |
|----------|------------------|

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

· **Signal word** Danger

· **Hazard statements**

Extremely flammable aerosol. Pressurized container: May burst if heated.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Pressurized container: Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

16 Other information

The information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond our control. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made.

· **Department issuing MSDS:** Product safety department

· **Contact:**

Stephen Nowicki

N/Av

· **Date of preparation / last revision** 10/23/2014 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

CA