# **SAFETY DATA SHEET**

Océ VarioPrint 6000 series Toner



## Section 1. Identification

GHS product identifier	: Océ VarioPrint 6000 series Toner
Article number (Océ)	: 1060032357 / 1060032342
Product code (Canon)	: 5474B001AA / 5474B002AA
Product type	: Powder.
Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	: Ink powder for VarioPrint 6000 printer series. Other uses are not recommended.
Supplier's details	: Canon USA Inc.
	One Canon Park, Melville, NY, 11747, USA
	1-800-OK-CANON
e-mail address of person	: sds-hq@oce.com
responsible for this SDS	
Emergency telephone	: CHEMTREC# 1-800-424-9300 (24-hour safety information)
number (with hours of	or
operation)	
	001866 928 0789 24h
	For chemical emergenies only.

## Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: Warning
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

## Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

#### **CAS number/other identifiers**

CAS nu	ımber	: Not appl	icable.				
Ingredie	ent na	me			%	CAS number	
carbon b	olack, I	respirable powder			1 - 5	1333-86-4	
Number:	263	Date of issue/Date of revision	: 28-05-2015	Date of previous issue	: No previous validation	Version : 0.01	1/10

## Section 3. Composition/information on ingredients

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Wash contaminated skin with soap and water.
Ingestion	<ul> <li>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel.</li> </ul>

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### See toxicological information (Section 11)

## Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> .
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Fine dust clouds may form explosive mixtures with air.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

## Section 5. Fire-fighting measures

Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	<ul> <li>Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Put on appropriate personal protective equipment.</li> </ul>
For emergency responders	: Wear a respirator conforming to EN140 with type A/P2 filter or better. See also Section 8 for additional information on hygiene measures.
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Avoid formation of dust. Slowly sweep spilled toner and carefully transfer into waste bag or container. Remove residue with wet paper or water and soap. Do not vacuum up large quantities unless using an explosion proof vacuum cleaner.
Large spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

Precautions for safe handling	1	
Protective measures	:	Handle and open container with care. Avoid breathing dust. Use only with adequate ventilation. See operator manual or safety data sheet of the copier/printer.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination

## Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits

## Section 8. Exposure controls/personal protection

		•		
Ingredient name			Exposure limits	
carbon black, respirable powder			<ul> <li>NIOSH REL (United States, 10/2013). TWA: 3,5 mg/m<sup>3</sup> 10 hours. TWA: 0,1 mg of PAHs/cm<sup>3</sup> 10 hours.</li> <li>OSHA PEL (United States, 2/2013). TWA: 3,5 mg/m<sup>3</sup> 8 hours.</li> <li>ACGIH TLV (United States, 4/2014). TWA: 3 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction</li> <li>OSHA PEL 1989 (United States, 3/1989). TWA: 3,5 mg/m<sup>3</sup> 8 hours.</li> </ul>	
Appropriate engineering controls	:	Use only with adequate ventilation. See copier/printer.	operator manual or safety data sheet of the	
Environmental exposure controls	:	they comply with the requirements of en	ess equipment should be checked to ensure vironmental protection legislation. In some ering modifications to the process equipment o acceptable levels.	
Individual protection meas	<u>ures</u>			
Hygiene measures	:	Wash hands after handling compounds lavatory and at the end of the day.	and before eating, smoking and using the	
Eye/face protection	:	Not required during normal intended use	e of this product.	
Skin protection				
Hand protection	:	Not required during normal intended use	e of this product.	
Body protection	:	Not required during normal intended use	e of this product.	
Other skin protection	- :	Not required during normal intended use	e of this product.	
Respiratory protection	:	Not required during normal intended use	e of this product.	

## Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	olid. [Powder.]	
Color	ack.	
Odor	aint odor.	
Odor threshold	ot available.	
рН	ot applicable.	
Melting point	45°C (>113°F) (softening point, Tg)	
Boiling point	ot available.	
Flash point	ot available.	
Evaporation rate	ot applicable.	
Flammability (solid, gas)	oner is combustible. Fine toner dust clouds may form explosive mixtures with	ith air.
Lower and upper explosive (flammable) limits	ower: 60 g/m <sup>3</sup>	
Vapor pressure	ot available.	
Vapor density	ot available.	
Relative density	ot available.	
Solubility	soluble in the following materials: cold water and hot water.	
Partition coefficient: n- octanol/water	ot available.	
Auto-ignition temperature	ot available.	
Decomposition temperature	ot available.	

## Section 9. Physical and chemical properties

Viscosity : Not available.

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid formation of dust.
Incompatible materials	: None known.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity						
Product/ingredient name	Result		Spe	cies	Dose	Exposure
carbon black, respirable powder	LD50 Oral		Rat		>15400 mg/kg	-
Conclusion/Summary	: No adver	se effects a	are expected unde	r intende	ed use.	
Irritation/Corrosion						
Not available.						
Conclusion/Summary						
Skin	: Non-irrita	ting to the	skin.			
Eyes	: Mildly irrit	ating to the	e eyes.			
Respiratory	: Repeated	d or prolong	ged inhalation of d	ust may	lead to chronic respire	atory irritation.
<u>Sensitization</u>						
Not available.						
Conclusion/Summary						
Skin	: Based on	available (	data, the classifica	tion crite	eria are not met.	
Respiratory	: Based on available data, the classification criteria are not met.					
<u>Mutagenicity</u>						
Not available.						
Conclusion/Summary	: Not muta	genic in Ar	nes test. (Based o	n test re	sult of similar product	t.)
Carcinogenicity						
<b>Classification</b>						
Product/ingredient name	OSHA	IARC	NTP			
carbon black, respirable powder	-	2B	-			

5/10

## Section 11. Toxicological information

Conclusion/Summary	: Carbon Black: in 1996 the International Agency for Research on Cancer (IARC) re- evaluated carbon black as a Group 2B carcinogen (possible human carcinogen), based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black. The effects were observed only in animals exposed to high concentrations of carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats. Epidemiology studies of workers in the carbon black producing industries of North America and Western Europe do not demonstrate an association between carbon black and cancer, even in high exposure occupational settings. In addition, in its re-evaluation of carbon black, IARC concluded that "there is inadequate evidence in humans for the carcinogenicity of carbon black". Chronic overexposure to many dusts, including carbon black dust, may result in respiratory tract irritation and slight changes in lung function.
Conclusion/Summary	: No known significant effects or critical hazards.
Teratogenicity Not available.	
Specific target organ toxi	<u>city (single exposure)</u>
Not available.	
Specific target organ toxi Not available.	<u>city (repeated exposure)</u>
Aspiration hazard Not available.	
Information on the likely routes of exposure	: Not available.
Symptoms related to the p	hysical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
Numerical measures of tox Acute toxicity estimates	<u>cicity</u>
Acute toxicity estimates	

Route	ATE value
Oral	268000 mg/kg

## Section 12. Ecological information

IOXICITY			
Product/ingredient name	Result	Species	Exposure
carbon black, respirable powder	Acute EC50 37.563 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours

# Persistence and degradability Conclusion/Summary : Not readily biodegradable. Bioaccumulative potential Not available. Mobility in soil Soil/water partition

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
RCRA classification	<ul> <li>This product is not listed hazardous waste in accordance with Federal Regulation 40 CFR Part 261.</li> </ul>

## Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

## Section 14. Transport information

<b>Special precautions for user : Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

## Section 15. Regulatory information

J.S. Federal regulations	:	TSCA 8(a) CDR E Not determined.	Exempt/Parti	al exemptior	1: Not determin	ned	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	2:	Not listed					
Clean Air Act Section 602 Class I Substances	: :	Not listed					
Clean Air Act Section 602 Class II Substances	: :	Not listed					
DEA List I Chemicals (Precursor Chemicals)	:	Not listed					
DEA List II Chemicals (Essential Chemicals)	:	Not listed					
SARA 302/304							
Composition/informatio	<u>n on</u>	ingredients					
No products were found.							
SARA 304 RQ	:	Not applicable.					
SARA 311/312							
Classification	:	Not applicable.					
Composition/informatio	<u>n on</u>	ingredients					
Name		%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health	Delayed (chronic) health

State	regulat	ions

carbon black, respirable powder

Massachusetts

: The following components are listed: CARBON BLACK; AMORPHOUS SILICA

No.

No.

hazard

No.

hazard

Yes.

**New York** 

: None of the components are listed.

1 - 5

- New Jersey Pennsylvania
- : The following components are listed: CARBON BLACK

No.

: The following components are listed: CARBON BLACK; SILICA

#### California Prop. 65

Listing of the carbon black on the Proposition 65 list of carcinogens is restricted to unbound particles of respirable size. In printer toners carbon black is bound in polymer matrices, therefore warnings under Proposition 65 are not required.

Ingredient name	Cancer		level	Maximum acceptable dosage level
carbon black, respirable powder	Yes.	No.	No.	No.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Number:	263	Date of issue/Date of revision	: 28-05-2015	Date of previous issue	: No previous	Version : 0.01	8/10
					validation		

## Section 15. Regulatory information

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)


Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

#### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>	
Date of printing	: 28-05-2015
Date of issue/Date of revision	: 28-05-2015
Date of previous issue	: No previous validation
Version	: 0.01
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

Number:	263	Date of issue/Date of revision	:28-05-2015	Date of previous issue	: No previous	Version	: 0.01	9/10
					validation			

## Section 16. Other information

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

#### References

: Not available.

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.