# SAFETY DATA SHEET

Revision Date 30-Jan-2015

Version 1

# 1. IDENTIFICATION

**Product identifier** 

**Product Name** 

765-1184 NAPA 21125 REARVIEW MIRROR ADHESIVE KIT PART 1 (PTX81844)

Other means of identification

**Product Code** 

PTX194319Y

Synonyms

None

Recommended use of the chemical and restrictions on use Recommended Use

Adhesives

Uses advised against

No information available

Details of the supplier of the safety data sheet

Manufacturer Address

**Distributor** 

**ITW Permatex** 10 Columbus Blvd. **ITW Permatex Canada** 

Hartford, CT 06106 USA

35 Brownridge Road, Unit 1

Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994

**Company Phone Number** 

1-87-Permatex (877) 376-2839

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency:

00+1+813-248-0585

Contract Number: MIS0003453

# 2. HAZARDS IDENTIFICATION

# Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

#### Label elements

# **Emergency Overview**

# Danger

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure



Appearance Yellow

Physical state Liquid

**Odor** Irritating

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

#### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

# Other Information

May be harmful if swallowed. May be harmful in contact with skin.

Unknown acute toxicity

46.49% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Substance

Chemical Name	CAS No	Weight-%	Trade Secret
POLYURETHANE METHACRYLATE RESIN (MIXTURE)	_	30 - 60	•
HYDROXYALKYL METHACRYLATE	27813-02-1	15 - 40	*
ALIPHATIC URETHANE METHACRYLATE	3290-92-4	5 - 10	*
ACRYLIC ACID	79-10-7	3-7	•
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	1 - 5	•
SACCHARIN	81-07-2	1 - 5	•
2-HYDROXYETHYL METHACRYLATE	868-77-9	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# Description of first aid measures

General advice

Get medical advice/attention if you feel unwell.

**Eve contact** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact

IF ON SKIN:. Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion

IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

# Most important symptoms and effects, both acute and delayed

**Symptoms** 

See section 2 for more information.

# Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

#### Unsuitable extinguishing media

None.

#### Specific hazards arising from the chemical

None in particular.

Explosion data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents. Strong bases.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID 79-10-7	TWA: 2 ppm	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m <sup>3</sup>	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup>
78-10-7	3	(vacated) S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

# **Appropriate engineering controls**

Engineering Controls Showers

Eyewash stations Ventilation systems

# Individual protection measures, such as personal protective equipment

Eyelface protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Liquid Yellow Odor Irritating

Odor threshold No information available

Property Values Remarks • Method

pH Does not apply
Melting point / freezing point
Boiling point / boiling range > 149 °C / 300 °F

Flash point > 93 °C / > 199 °F Cleveland Open Cup
Evaporation rate < 1
Flammability (solid, gas)

No information available

Flammability Limit in Air
Upper flammability limit:
Lower flammability limit:
Vapor pressure

No information available
No information available
<5 mmHg @ 75°F

Vapor density >1 Air = 1
Relative density 1.1 @ 80°F

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

Kinematic viscosity

Dynamic viscosity

Explosive properties

Oxidizing properties

No information available
No information available
No information available

Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) 5.3%

Density No information available Bulk density No information available

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Excessive heat.

# Incompatible materials

Strong oxidizing agents, Strong bases

# **Hazardous Decomposition Products**

Carbon oxides

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact Irritating to eyes. May cause redness and tearing of the eyes.

Skin contact Courses severe skin irritation and possible burns. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons.

Ingestion Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROXYALKYL METHACRYLATE 27813-02-1	= 11200 mg/kg (Rat)	> 3000 mg/kg(Rabbit)	•
ALIPHATIC URETHANE METHACRYLATE 3290-92-4	= 5660 µL/kg(Rat)	= 16 mL/kg (Rabbit)	
ACRYLIC ACID 79-10-7	= 193 mg/kg (Rat) = 33500 μg/kg (Rat)	= 280 µL/kg ( Rabbit ) = 295 mg/kg ( Rabbit )	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L (Rat) 4 h
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg ( Rabbit )	= 220 ppm (Rat) 4 h
2-HYDROXYETHYL METHACRYLATE 868-77-9	= 5050 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	•

#### Information on toxicological effects\_

Symptoms No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
ACRYLIC ACID	-	Group 3	•	-
79-10-7				
SACCHARIN	•	Group 3	-	-
81-07-2		l .		

IARC (international Agency for Research on Cancer)

Not classifiable as a human carcinogen

Target Organ Effects Eyes, Respiratory system, Skin.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2504 mg/kg
ATEmix (dermal) 2750 mg/kg
ATEmix (Inhalation-dust/mist) 6.4 mg/l

# 12. ECOLOGICAL INFORMATION

# Ecotoxicity

None known

80.99% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HYDROXYALKYL METHACRYLATE 27813-02-1	•	493: 48 h Leuciscus idus melanotus mg/L LC50 static	
ALIPHATIC URETHANE METHACRYLATE 3290-92-4	•	144: 96 h Oncorhynchus mykiss mg/L LC50 160: 96 h Pimephales promelas mg/L LC50 112: 96 h Lepomis macrochirus mg/L LC50	-

ACRYLIC ACID 79-10-7	0.17; 96 h Pseudokirchneriella subcapitata mg/L EC50 0.04; 72 h Desmodesmus subspicatus mg/L EC50	222: 96 h Brachydanio rerio mg/L LC50 semi-static	95: 48 h Daphnia magna mg/L EC50 270: 24 h Daphnia magna mg/L LC50 Static
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	·	3.9: 96 h Öncorhynchus mykiss mg/L LC50 static	7: 24 h Daphnia magna mg/L EC50
SACCHARIN 81-07-2		18300: 96 h Pimephales promelas mg/L LC50	•
2-HYDROXYETHYL METHACRYLATE 868-77-9	•	213 - 242: 96 h Pimephales promelas mg/L LC50 flow-through 227: 96 h Pimephales promelas mg/L LC50	-

#### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

Chemical Name	Partition coefficient
HYDROXYALKYL METHACRYLATE 27813-02-1	0.97
ACRYLIC ACID 79-10-7	0.38 - 0.46
2-HYDROXYETHYL METHACRYLATE 868-77-9	0.47

# Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID 79-10-7	•	•	•	U008
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	(F		•	U096

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
DIMETHYLBENZYL HYDROPEROXIDE	Toxic
80-15-9	Ignitable

APPENDING A PERMANENT AND A PROPERTY AND A PERMANENT AND A PER	The second test test to the second se	
	14. TRANSPORT INFORMA	
INSTRUMENTAL PROPERTY OF THE P	14 IKANSPURI INFORMA	
TO SHARE SHOW THE PROPERTY OF	THE PROPERTY OF THE PROPERTY O	

DOT

# PTX194319Y - 765-1184 NAPA 21125 REARVIEW MIRROR ADHESIVE KIT PART 1 (PTX81844)

Proper shipping name:

Not regulated

IATA

Proper shipping name:

Not regulated

IMDG\_

Proper shipping name:

Not regulated

# 15. REGULATORY INFORMATION

# International Inventories

Complies **TSCA DSL/NDSL** Complies Does not comply **EINECS/ELINCS** Complies **ENCS IECSC** Complies Complies KECL **PICCS** Complies Complies **AICS** 

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0
SACCHARIN - 81-07-2	1.0

#### SARA 311/312 Hazard Categories

TO THE THE PARTY OF THE PARTY O	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	<u>-</u>	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			_

# **US State Regulations**

<u>California Proposition 65</u>
This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID 79-10-7	X	x	Х
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	Х	x	х
SACCHARIN 81-07-2	Х	X	X
PROPYLENE GLYCOL 57-55-6	Х	-	X

U.S. EPA Label Information\_

**EPA Pesticide Registration Number** Not applicable

NFPA_	Health hazards 2	Flammability 1	Instability 0	-
HMIS_	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

**Revision Date** 

30-Jan-2015

# **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

# SAFETY DATA SHEET

Revision Date 03-Feb-2015

Version 1

# 1. IDENTIFICATION

Product identifier

**Product Name** 

765-1184 NAPA 21125 REARVIEW MIRROR ADHESIVE KIT PART 2 (PTX81844)

Other means of identification

**Product Code** 

PTX394319Y

**Synonyms** 

None

Recommended use of the chemical and restrictions on use

Recommended Use

Activator

Uses advised against

No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

**Distributor** 

**ITW Permatex** 10 Columbus Blvd. **ITW Permatex Canada** 35 Brownridge Road, Unit 1

Hartford, CT 06106 USA

Halton Hills, ON Canada L7G 0C6

Telephone: (800) 924-6994

**Company Phone Number** 

1-87-Permatex

(877) 376-2839

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency:

00+1+813-248-0585

Contract Number: MIS0003453

# 2. HAZARDS IDENTIFICATION

# Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 2

# Label elements

#### **Emergency Overview**

# Danger

Harmful if swallowed

Causes serious eye irritation

May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

Highly flammable liquid and vapor



Appearance Green

Physical state Liquid

Odor Alcoholid

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

# **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). Copper compounds.

Unknown acute toxicity

2.38% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No	Weight-%	Trade Secret
2-PROPANOL	67-63-0	60 - 100	*

		_	
MINERAL SPIRITS	8052-41-3	1 - 5	•
*The exact percentage (concentration) of composition has been withheld as a trade secret.			

# 4. FIRST AID MEASURES

# **Description of first aid measures**

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If symptoms persist, call a physician. Wash contaminated clothing

before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Flammable. May be ignited by heat, sparks or flames.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Use a non-combustible material like vermiculite or sand to soak up the product and place into a

container for later disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Incompatible materials

Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters\_

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-PROPANOL	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
	500	(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
	İ	(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	_
MINERAL SPIRITS	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m <sup>3</sup>
8052-41-3	1	TWA: 2900 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m³	3 1

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** 

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

Tag Closed Cup

Butyl acetate = 1

Air = 1

appropriate.

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid
Appearance Green
Odor Alcoholic

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Does not apply

Melting point / freezing point No information available

Boiling point / boiling range 82 °C / 180 °F Flash point 82 °C / 53 °F

Evaporation rate 7.7

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 12.0% Lower flammability limit: 2.0%

Vapor pressure 32 mm Hg @ 68°F

Vapor density 2.1

Relative density 0.79 @ 77°F
Water solubility Soluble in water

Water solubility
Solubility in other solvents
Partition coefficient
Soluble in water
No information available
No information available

Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

#### Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) 96.5

Density No information available Bulk density No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# Conditions to avoid

Heat, flames and sparks. Take precautionary measures against static discharges.

Incompatible materials

Strong oxidizing agents

#### **Hazardous Decomposition Products**

Carbon oxides

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Inhalation

May be harmful by inhalation.

Eye contact

May cause redness and tearing of the eyes.

Skin contact

May cause skin irritation and/or dermatitis.

Ingestion

May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-PROPANOL	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³ (Rat) 4 h
67-63-0	72		

#### Information on toxicological effects

**Symptoms** 

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

 
 Carcinogenicity
 The table below indicates whether each agency has listed any ingredient as a carcinogen.

 Chemical Name
 ACGIH
 IARC
 NTP
 OSHA

 2-PROPANOL 67-63-0
 Group 1
 X

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Target Organ Effects** 

Central nervous system, Eyes, kidney, Respiratory system, Skin.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)

1938 mg/kg

ATEmix (dermal)

4206 mg/kg

ATEmix (inhalation-dust/mist)

75.2 mg/l

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

# None known

3.5% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-PROPANOL	1000: 96 h Desmodesmus	11130: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 static 9640: 96 h	EC50
	Desmodesmus subspicatus mg/L	Pimephales promelas mg/L LC50	
	EC50	flow-through 1400000: 96 h	
		Lepomis macrochirus µg/L LC50	

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

Chemical Name	Partition coefficient
2-PROPANOL	0.05
67-63-0	

# Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated packaging

Do not reuse container.

**US EPA Waste Number** 

D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
2-PROPANOL	Toxic
67-63-0	Ignitable Ignitable

# 14. TRANSPORT INFORMATION

DOT

Proper shipping name:

Isopropyl alcohol, Limited Quantity (LQ)

**Hazard Class Packing Group**  3 П

**IATA** 

UN/ID no

**ID 8000** 

Proper shipping name:

Consumer commodity

**Hazard Class** 

**IMDG** 

UN/ID no

**UN 1219** 

Proper shipping name:

Isopropyl alcohol, Limited Quantity (LQ)

**Hazard Class** 

**Packing Group** 

Ш

EmS-No

F-E, S-D

# 15. REGULATORY INFORMATION

International Inventories

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies

IECSC KECL	Complies Complies
PICCS	Complies
AICS	Complies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-PROPANOL - 67-63-0	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

# California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-PROPANOL 67-63-0	X	X	Х
MINERAL SPIRITS 8052-41-3	X	X	X
ORGANO-COPPER COMPOUND 85737-14-0	X	•	X
ORGANO-COPPER COMPOUND 68084-48-0	X	•	X
ORGANO-COPPER COMPOUND 22221-10-9	X	•	X

# U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

# PTX394319Y - 765-1184 NAPA 21125 REARVIEW MIRROR ADHESIVE KIT PART 2 (PTX81844)

Revision Date 03-Feb-2015

NFPA HMIS Health hazards 2 Health hazards 2 Flammability 3 Flammability 3

Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

**Revision Date** 

03-Feb-2015

# <u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**