



**Safety Data Sheet**  
acc. to OSHA HCS & WHMIS

Printing date 09/28/2015

Reviewed on 09/28/2015

**1 Identification**

- **Product identifier:** COOLING FLUID
- **Trade name:** CANTESCO® COOLING FLUID CF3 LOW
- **Code** CF3-LOW
- **Item number(s):** CF3-LOW, CF3-1G, CF3-5G, CF3-DR, CF3-4L, CF3-20L
- **MSDS Number:** 48
- **UPC bar code(s):** 11230, 11235, 11240
- **Relevant identified uses of the substance:** COOLING FLUID
- **Manufacturer/Supplier:**  
WWW.CANTESCO.COM

USA ADDRESS:

KEMPER SYSTEM AMERICA, INC.  
1200 NORTH AMERICA DR,  
WEST SENECA, NY 14224  
PH (716) 558-2971

CANADIAN ADDRESS:

KEMPER SYSTEM CANADA  
6345 NETHERHART ROAD  
MISSISSAUGA, ON L5T 1B8  
PH (905) 624-5463  
FAX (905) 624-2840

- **Information department:**  
Tel: (716) 558-2971 ext. 228  
www.cantesco.com
- **Emergency telephone number:**  
ChemTrec (800) 424-9300  
Canada only: CANUTECH (Call collect) (613) 996-6666

**2 Hazard(s) identification**

- **Classification of the substance or mixture:**



Acute Tox. 4 H302 Harmful if swallowed.  
.....  
Eye Irrit. 2B H320 Causes eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Signal word:** Warning
- **Hazard-determining components of labeling:**  
ethylene glycol  
benzotriazole
- **Hazard statements:**  
Harmful if swallowed.  
Causes eye irritation.

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS & WHMIS

Printing date 09/28/2015

Reviewed on 09/28/2015

**Trade name:** CANTESCO® COOLING FLUID CF3 LOW

(Contd. of page 1)

· **Precautionary statements:**


- Wash thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If swallowed: Call a poison center/doctor if you feel unwell.
- If eye irritation persists: Get medical advice/attention.
- Rinse mouth.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

· **WHMIS-symbols:**

- D2A - Very toxic material causing other toxic effects



· **NFPA ratings (scale 0 - 4):**



Health = 1  
Fire = 0  
Reactivity = 0

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

107-21-1	ethylene glycol	30-60%
----------	-----------------	--------

- **Additional information:** Exact concentrations are being withheld as trade secrets.

### 4 First-aid measures

- **General information:** Symptoms of poisoning may even occur after several hours.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:**  
Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.
- **After swallowing:** Call a poison center/doctor if you feel unwell. Rinse mouth.
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### 5 Fire-fighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture:** No further relevant information available.

(Contd. on page 3)

CA

# Safety Data Sheet

## acc. to OSHA HCS & WHMIS

Printing date 09/28/2015

Reviewed on 09/28/2015

**Trade name:** CANTESCO® COOLING FLUID CF3 LOW

(Contd. of page 2)

- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:** Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** Cooling fluid for welding systems

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

#### 107-21-1 ethylene glycol

EL (Canada)	Short-term value: 20** mg/m <sup>3</sup> Long-term value: 10** mg/m <sup>3</sup> Ceiling limit value: 100* mg/m <sup>3</sup> , 50*** ppm *Aerosol; **Particulate; ***Vapour
EV (Canada)	Ceiling limit value: 100 mg/m <sup>3</sup>
TLV (USA)	Long-term value: NIC-10* mg/m <sup>3</sup> Ceiling limit value: (100) mg/m <sup>3</sup> (H); *as inhalable fraction and vapor

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

-CA

# Safety Data Sheet

## acc. to OSHA HCS & WHMIS

Printing date 09/28/2015

Reviewed on 09/28/2015

**Trade name:** CANTESCO® COOLING FLUID CF3 LOW

(Contd. of page 3)

- **Material of gloves:**  
Protective gloves not normally required. People with sensitive skin may prefer to wear water-proof gloves, such as rubber or neoprene, to avoid skin contact.
- **Eye protection:** Goggles recommended during refilling.

### 9 Physical and chemical properties

<b>· Form:</b>	Liquid
<b>· Color:</b>	Colorless
<b>· Odor:</b>	Odorless
<b>· Odour threshold:</b>	Not determined.
<b>· pH-value at 20 °C:</b>	6
<b>· Change in condition</b>	
<b>Melting point/Melting range:</b>	-35 °C
<b>Boiling point/Boiling range:</b>	93 °C
<b>· Flash point:</b>	Not applicable.
<b>· Flammability (solid, gaseous):</b>	Not applicable.
<b>· Ignition temperature:</b>	410 °C
<b>· Decomposition temperature:</b>	Not determined.
<b>· Auto igniting:</b>	Product is not selfigniting.
<b>· Danger of explosion:</b>	Product does not present an explosion hazard.
<b>· Explosion limits</b>	
<b>Lower:</b>	3.2 Vol %
<b>Upper:</b>	53.0 Vol %
<b>· Vapor pressure at 20 °C:</b>	23 hPa
<b>· Density at 20 °C:</b>	1.066 g/cm <sup>3</sup>
<b>· Relative density:</b>	Not determined.
<b>· Vapour density at 20 °C:</b>	.610 (AIR=1)
<b>· Evaporation rate at 20 °C:</b>	1 (BA=1)
<b>· Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>· Partition coefficient (n-octanol/water):</b>	Not determined.
<b>· Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>· Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>· Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS & WHMIS

Printing date 09/28/2015

Reviewed on 09/28/2015

**Trade name:** CANTESCO® COOLING FLUID CF3 LOW

(Contd. of page 4)

- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

· **Information on toxicological effects:**

· **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

**107-21-1 ethylene glycol**

Oral	LD50	5840 mg/kg (rat)
Dermal	LD50	9530 mg/kg (rabbit)

· **Specific symptoms in biological assay:** No further relevant information available.

· **Primary irritant effect**

· **on the skin:** No irritant effect.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Other adverse effects:** No further relevant information available.

### 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 09/28/2015

Reviewed on 09/28/2015

**Trade name:** CANTESCO® COOLING FLUID CF3 LOW

(Contd. of page 5)

- **Uncleaned packagings**
- **Recommendation:**  
Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

<b>· UN-Number</b>	
<b>· DOT, TDG, ADN, IMDG, IATA</b>	Not regulated
<b>· UN proper shipping name</b>	
<b>· DOT, TDG, ADN, IMDG, IATA</b>	Not regulated
<b>· Transport hazard class(es)</b>	
<b>· DOT, TDG, ADN, IMDG, IATA</b>	
<b>· Class</b>	Not regulated
<b>· Packing group</b>	
<b>· DOT, TDG, IMDG, IATA</b>	Not regulated
<b>· Environmental hazards:</b>	
<b>· Marine pollutant:</b>	No
<b>· Special precautions for user:</b>	Not applicable.
<b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not applicable.
<b>· UN "Model Regulation":</b>	-

## 15 Regulatory information

<b>· Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
<b>· Sara</b>	
<b>· Section 355 (extremely hazardous substances):</b>	
None of the ingredients is listed.	
<b>· Section 313 (Specific toxic chemical listings):</b>	
107-21-1	ethylene glycol
<b>· TSCA (Toxic Substances Control Act):</b>	
All ingredients are listed or exempted	
<b>· Proposition 65</b>	
<b>· Chemicals known to cause cancer:</b>	
None of the ingredients is listed.	
<b>· Chemicals known to cause reproductive toxicity for females:</b>	
None of the ingredients is listed.	
<b>· Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients is listed.	

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 09/28/2015

Reviewed on 09/28/2015

**Trade name:** CANTESCO® COOLING FLUID CF3 LOW

(Contd. of page 6)

· **Chemicals known to cause developmental toxicity:**

Exposure during foreseeable use has been determined to be below the Maximum Allowable Dose Level.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency):**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH):**

107-21-1	ethylene glycol	A4
----------	-----------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients is listed.

· **Canadian substance listings**

· **Canadian Domestic Substances List (DSL):**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%):**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%):**

107-21-1	ethylene glycol
----------	-----------------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

ethylene glycol

benzotriazole

· **Hazard statements**

Harmful if swallowed.

Causes eye irritation.

· **Precautionary statements**

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If swallowed: Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 16 Other information

This MSDS format meets ANSI Z400.1-1998, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS & WHMIS

Printing date 09/28/2015

Reviewed on 09/28/2015

**Trade name: CANTESCO® COOLING FLUID CF3 LOW**

(Contd. of page 7)

No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2008 and ISO 14001:2004 registered company.

- **Department issuing MSDS:** Product safety department
- **Contact:** Stephen Nowicki
- **Date of preparation / last revision** 09/28/2015 / -
- **Abbreviations and acronyms:**
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - ACGIH: American Conference of Governmental Industrial Hygienists
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - NFPA: National Fire Protection Association (USA)
  - WHMIS: Workplace Hazardous Materials Information System (Canada)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - Acute Tox. 4: Acute toxicity, Hazard Category 4
  - Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

CA