

1202910 118
A02/095

MSDS # 000090

MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OH 45401-0277

MSDS NO: DAP / 10401
INTERNAL ID: 10401
DAP '33' GLAZING
REVISION: 3
DATE: FEBRUARY 3, 1992

NATIONAL PAINT
AND COATINGS
ASSOCIATION

HAZARDOUS MATERIAL
IDENTIFICATION
SYSTEM

| | |
|---------------------|------------------------|
| HEALTH HAZARD | 0 - MINIMAL |
| FLAMMABILITY HAZARD | 0 - MINIMAL |
| REACTIVITY HAZARD | 0 - MINIMAL |
| PERSONAL PROTECTION | 3 - GLASSES, GLOVES |

SECTION I. MATERIAL IDENTIFICATION

TRADE/MATERIAL NAME: DAP '33' GLAZING
DESCRIPTION: GLAZING COMPOUND
CAS: MIXTURE
PREVIOUS MSDS REVISION DATE: FEBRUARY 28, 1991

SHIPPING NAME (49 CFR 172.101): NA
D.O.T. HAZARD CLASS (49 CFR 172.101): NA
D.O.T. ID NO. (49 CFR 172.101): NA
D.O.T. LABEL REQUIRED (49 CFR 172.101): NA
EPA HAZARD CLASS - IF DISCARDED (40 CFR 261): NA

MANUFACTURER: DAP INC.
P.O. BOX 277
DAYTON, OH 45401

PHONE: 1-900-543-3840
IN OHIO:
1-513-667-4461

SECTION II. INGREDIENTS AND HAZARDS

INGREDIENT NAME: PERCENT: EXPOSURE LIMITS:
ALL INGREDIENTS ARE NOT REGULATED BY OSHA AND ARE CONSIDERED TRADE SECRETS.

SECTION III. PHYSICAL DATA

APPEARANCE & ODOR: COLORED PASTE WITH A MILD ODOR.

BOILING POINT: NA
VAPOR PRESSURE: < 1MM HG @ 20C
WATER SOLUBILITY (X): NEGLIGIBLE
VAPOR DENSITY (AIR=1): > 1
EVAPORATION RATE: (N-BUTYL ACETATE=1): < 1
SPECIFIC GRAVITY (H2O=1): 2.2
% VOLATILE BY VOLUME: < 1

VOC LESS WATER LESS EXEMPT SOLVENT: 10 G/LITER
VOC MATERIAL: 10 G/LITER

MATERIAL SAFETY DATA SHEET

DAP INC.
P.O. BOX 277
DAYTON, OH 45401-0277

MSDS NO: DAP / 10401
INTERNAL ID: 10401
DAP '33' GLAZING
REVISION: 3
DATE: FEBRUARY 3, 1992

SECTION IV. FIRE AND EXPLOSION DATA

FLASH POINT (METHOD): >200F (SETA) LIMITS: LEL %: NE UEL %: NE
EXTINGUISHING MEDIA: FDM, WATER, DRY CHEMICALS
UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE KNOWN
SPECIAL FIRE-FIGHTING PROCEDURES: USE WATER SPRAY TO COOL EXPOSED SURFACES.

SECTION V. REACTIVITY DATA

MATERIAL IS STABLE. HAZARDOUS POLYMERIZATION WILL NOT OCCUR .
CHEMICAL INCOMPATIBILITIES: STRONG OXIDIZERS AND CAUSTICS.
CONDITIONS TO AVOID: EXCESSIVE HEAT AND FREEZING.
HAZARDOUS DECOMPOSITION PRODUCTS: NORMAL COMBUSTION PRODUCTS, I.E. COX, NOX.

SECTION VI. HEALTH HAZARD INFORMATION

THIS PRODUCT IS NOT CONSIDERED A CARCINOGEN BY THE NTP, IARC, OR OSHA.
MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY CONTACT: NONE KNOWN
PRIMARY ENTRY ROUTE(S): SKIN CONTACT
ACUTE EFFECTS: NONE KNOWN
CHRONIC EFFECT(S): NONE KNOWN
FIRST AID:
EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.
CONTACT A PHYSICIAN.
SKIN CONTACT: WASH WITH SOAP AND WATER.
INHALATION: REMOVE TO FRESH AIR. CONTACT A PHYSICIAN IMMEDIATELY.
INGESTION: DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN OR
REGIONAL POISON CONTROL CENTER IMMEDIATELY.

MATERIAL SAFETY DATA SHEET

OAP INC.
P.O. BOX 277
DAYTON, OH 45401-0277

MSDS NO: OAP / 10401
INTERNAL ID: 10401
OAP '33' GLAZING
REVISION: 3
DATE: FEBRUARY 3, 1992

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

SPILL / LEAK PROCEDURES: SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS.
WASTE MANAGEMENT / DISPOSAL: DISPOSE OF ACCORDING TO FEDERAL, STATE, AND LOCAL STANDARDS. THIS PRODUCT IS NON-HAZARDOUS ACCORDING TO U.S. EPA'S HAZARDOUS WASTE MANAGEMENT REGULATIONS, 40 CFR SECTION 261. DO NOT REUSE EMPTY CONTAINER.

SECTION VIII. SPECIAL PROTECTION INFORMATION

PERSONAL PROTECTIVE EQUIPMENT:

GOGGLES: SAFETY GLASSES WITH SIDE SHIELDS RECOMMENDED.

GLOVES: RECOMMENDED FOR REPEATED OR PROLONGED CONTACT WITH SKIN.

RESPIRATOR: NOT REQUIRED UNDER NORMAL USAGE AND WITH ADEQUATE VENTILATION. SEE VENTILATION SECTION BELOW.

WORKPLACE CONSIDERATIONS:

VENTILATION: NORMAL ROOM VENTILATION.

SAFETY STATIONS:
NOT REQUIRED.

CONTAMINATED EQUIPMENT:
WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION IX. SPECIAL PRECAUTIONS

STORAGE SEGREGATION: STORE AWAY FROM CAUSTICS AND OXIDIZERS.

SPECIAL HANDLING / STORAGE: KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINERS FROM EXCESSIVE HEAT AND FREEZING.

DOT CLASS: SEE SECTION I

UN REGISTER: SEE SECTION I

THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE IF THEY ARE APPROPRIATE.