----- 000135.MSD 96.35.135 MATERIAL SAFETY DATA SHEET Page 1 of 3 Rubber Cleaner TRADE NAME: DATE: January 2006 & Rejuvenator Spray (Revised) I. PRODUCT IDENTIFICATION Name/Synonym: Cleaning Aerosol Part Number: 83-0-105193 Manufactured for and Distributed by: Presstek, Inc. 55 Executive Drive Hudson, NH 03051 Presstek - (603) 595-7000 Emergency Phone - 24 Hours - Chemtrec (800) 424 9300 II. INGREDIENTS - Confidential Information for Safety/Health Use Only (ALL EXPOSURE LIMITS ARE PPM UNLESS OTHERWISE NOTED) OSHA ACGIH, NIOSH NTP, IARC WT % PEL TLV, EXPOSURE OSHA Chemical Name CAS# LIMITS CARCINOGEN TWA STEL Petroleum Distillate 64742-48-9 100 100 100 No 30-45 
 Petroleum Naphtha
 64742-95-6
 100
 100
 150
 NO

 N-methyl Pyrollidone
 870-50-4
 N/E
 N/E
 N/E
 NO

 Propane/Butane/
 74-98-6
 1000
 1000
 1000
 NO
 35-45 No 5-20 10-20 Isobutane III. PHYSICAL PROPERTIES Boiling Point (°F): 40 Specific Gravity (H2O = 1): 0.8Vapor Pressure (psig): 44 @ 70°F Melting Point: N/A Vapor Density (Air = 1): 4.0 Evaporation Rate: Solubility in Water: Nil (ether = 1) Slower Appearance/Odor: Petroleum Distillate Odor IV. FIRE AND EXPLOSION HAZARD (16CFR 1500.45) Aerosol Flammability: Flammable Flammable Limits: LEL:1.8 UEL:9.5 Extinguishing Media: Dry Chemical, CO2 Special Fire Fighting Procedure: Keep containers cool. Use equipment or shielding as required to protect personnel against bursting, rupturing, or venting containers. Unusual Fire/Explosion Hazards: At elevated temperatures (over 54°C-130°F) containers may vent, rupture or burst. N/A = Not Applicable

N/E = Not Established

96.35.135 MATERIAL SAFETY DATA SHEET Rubber Cleaner & Rejuvenator Spray

Page 2 of 3 P/N 83-0-105193

V. REACTIVITY DATA

Stability: Stable Conditions to Avoid: Excess heat Incompatibility, Materials to Avoid: Strong oxidizing agents. Hazardous Decomposition Products: Combustion may produce carbon dioxide, carbon monoxide and isobutylene.

Hazardous Polymerization: Will not occur.

VI. SPILL OR LEAK PROCEDURE/WASTE DISPOSAL

Remove ignition sources and ventillate area. Soak up spill with an inert absorbant material. Do not puncture or incinerate cans. When contents are depleted continue to depress button until all gas is expelled. Follow local regulations for container disposal.

VII. HEALTH HAZARD DATA

A) Routes of entry, signs and symptoms of overexposure, acute and chronic effects.

Eye: Strong eye irritant.
Skin: Excess may cause allergenic reaction in some people.
May cause numbness.
Inhalation: Overexposure may cause dizziness.
Ingestion: Not a normal route of entry but may cause gastro-intestinal irritation, nausea.
Target Organs: Eyes, skin, respiratory system.

B) Carcinogenicity: Ingredients not found in NTP, OSHA or IARC.
C) Medical conditions generally aggravated by normal exposure:

Pre-existing eye and skin disorders may be aggravated.

D) Emergency and First Aid

Eye: Wash with large amounts of water. Get medical aid.
Skin: Flush with water promptly.
Inhalation: Move to fresh air. If breathing has

Innalation: Move to fresh aff. If breathing has stopped, perform artificial respiration. Ingestion: DO NOT induce vomiting, get immediate medical aid.

VIII. SPECIAL PROTECTION INFORMATION

Respiration Protection: None under normal conditions. Ventilation: Local exhaust adequate under normal conditions. Protective Gloves: Neoprene, Optional Eye Protection: Safety Glasses Other Protection: Impervious clothing to prevent skin contact.

IX. SPECIAL PRECAUTIONS

Handling and Storage: Do not store where temperatures could exceed 54oC (130oF). Keep from reach of children. Other: Read and follow precautions on container label. For Commercial/Industrial use only. 96.35.135 MATERIAL SAFETY DATA SHEET Rubber Cleaner & Rejuvenator Spray

Page 3 of 3 P/N 83-0-105193

X. ENVIRONMENTAL DATA Hazardous Substance (40 CFR 372: SARA Sec. 313) xylene 1% - 1,2,4 trimethylbenzene 5%, cumine 2% (all in naphtha fractions). Reportable Quantity (40 CFR 355: SARA Sec. 302) None Hazardous Substance (40 CFR 302: CERCLA Table 302.4) xylene, RQ 1000 lbs. RCRA Waste Number D001 Volatile Organic Compounds 6.6 lbs./gallon SARA Hazard Class Acute: yes Chronic: no Fire: yes Pressure: yes Reactivity: no NFPA Hazard Rating

Health: 2 Flammability: 4 Reactivity: 0 Specific Hazard: N/A

## XI. SHIPPING INFORMATION

## SURFACE:

Proper Shipping Name: UN N/A Class N/A	Consumer Commodity ORM-D Labeling: "Consumer Commodity ORM-D"
VESSEL AND AIR:	
Proper Shipping Name:	Aerosol, Flammable, n.o.s. 2.1,UN 1950

Labeling: Vessel; Package must be marked Flammable. Air; "Flammable Gas" label required.

NOTE:

The chemicals in this product are listed on the TSCA inventory. Intentional misuse by inhaling this product may be harmful or fatal.

## XII. DISCLAIMER

The information contained in this Material Safety Data Sheet is furnished without warranty of any kind. Presstek believes that the information contained herein is current as of the revision date of this MSDS. Since the conditions of use of this product are beyond the control of Presstek, it is the obligation of the user to determine the conditions for safe use.